

CERTIFICATE OF ANALYSIS

Prepared for:

Hobgood Hemp

106 N Pine Street PO Box 160 Hobgood, NC USA 27843

Topical Cream

Batch ID or Lot Number:	Test: Potency	Reported: 05Mar2024	USDA License: N/A	
Matrix: Concentrate	Test ID: T000271888	Started: 04Mar2024	Sampler ID: N/A	
	Method(s): TM14 (HPLC-DAD)	Received: 29Feb2024	Status: N/A	

Cannabinoids	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)
Cannabichromene (CBC)	0.018	0.061	0.070	0.70
Cannabichromenic Acid (CBCA)	0.016	0.055	ND	ND
Cannabidiol (CBD)	0.054	0.153	1.400	14.00
Cannabidiolic Acid (CBDA)	0.056	0.157	ND	ND
Cannabidivarin (CBDV)	0.013	0.036	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
Cannabidivarinic Acid (CBDVA)	0.023	0.065	ND	ND
Cannabigerol (CBG)	0.010	0.034	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
Cannabigerolic Acid (CBGA)	0.043	0.144	ND	ND
Cannabinol (CBN)	0.013	0.045	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
Cannabinolic Acid (CBNA)	0.029	0.098	ND	ND
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.051	0.171	ND	ND
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.046	0.155	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.041	0.138	ND	ND
Tetrahydrocannabivarin (THCV)	0.009	0.031	ND	ND
Tetrahydrocannabivarinic Acid (THCVA)	0.036	0.121	ND	ND
Total Cannabinoids			1.470	14.70
Total Potential THC			0.000	0.00
Total Potential CBD			1.400	14.00

Final Approval



Karen Winternheimer 05Mar2024 10:08:00 AM MST

APPROVED BY / DATE

Phillip Travisano 05Mar2024 10:11:00 AM MST



https://results.botanacor.com/api/v1/coas/uuid/51722835-1e75-4360-b307-bf079324e28a

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).

Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDa *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 A2LA Cert #: 4329.02 Chemical; 4329.03 Biological.





Cert #4329.02 517228351e754360b307bf079324e28a.1